

NO-A198 648


THE EFFECT OF WEATHERING ON OCTANE QUALITY FOR
WINTER-GRADE AND SUMMER-GR. (U) NATIONAL INST FOR
PETROLEUM AND ENERGY RESEARCH BARTLESVILLE O
R N WARES DEC 87 DOT/FAA/CT-87/16


1/1

UNCLASSIFIED

F/G 21/4

NL





MICROCOPY RESOLUTION TEST CHART
 NATIONAL BUREAU OF STANDARDS-1963-A

AD-A190 640

2

DTIC FILE 000

DOT FAA CT-87-16

DOT Technical Center
Washington, D.C. 20548
DOT-FAA-CT-87-16

The Effect of Weathering on Octane Quality for Winter-Grade and Summer-Grade Gasolines

Richard N. Wares

IIT Research Institute
NATIONAL INSTITUTE FOR PETROLEUM AND ENERGY RESEARCH
P.O. Box 2128
Bartlesville, OK 74005
(928) 336-2400

December 1987

Final Report

This document is available to the U.S. public
through the National Technical Information
Service, Springfield, Virginia 22161.



U.S. Department of Transportation
Federal Aviation Administration



98 0 10 007

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

1. Report No. DOT/FAA/CT-87/16	2. Government Accession No. ADA190640	3. Recipient's Catalog No.	
4. Title and Subtitle The Effect of Weathering on Octane Quality for Winter-Grade and Summer-Grade Gasolines		5. Report Date December 1987	
		6. Performing Organization Code	
7. Author(s) Richard N. Wares		8. Performing Organization Report No.	
9. Performing Organization Name and Address National Institute for Petroleum and Energy Research (NIPER) P.O. Box 2128, Bartlesville, OK 74005		10. Work Unit No. (TRAIS)	
		11. Contract or Grant No. Coop Agrmt DE-FC22-83FE60149	
12. Sponsoring Agency Name and Address U.S. Department of Transportation Federal Aviation Administration Technical Center Atlantic City Airport, New Jersey 08405		13. Type of Report and Period Covered Final Report	
		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract <p>Weathering tests were conducted to examine the effects on fuel volatility and octane characteristics. The commercially available gasolines utilized in the study represented a wide geographic distribution for both winter and summer fuels. Aging was accomplished by heating the fuel samples to 110 degrees F and maintaining that temperature for 48 hours. Time histories of Reid Vapor Pressure (RVP) were conducted. Fuel octane evaluations, both MON and RON, were done. Component characterization by gas chromatography were made to identify components lost during the aging process.</p> <p>The time histories of vapor pressure changes depended to a limited measure on the initial fuel vapor pressure as well as to differences in composition. Butanes and isopentanes were the primary constituents lost due to the weathering. For the most part octane changes due to fuel weathering were minimal.</p>			
17. Key Words Volatility Changes Octane Changes Aging Gas Chromatography Automobile Gasoline Distillation		18. Distribution Statement This document is available to the U.S. public through the National Technical Information Service, Springfield, Virginia 22161	
19. Security Classif. (of this report)	20. Security Classif. (of this page)	21. No. of Pages	22. Price

ACKNOWLEDGMENT

The work described in this report was performed in partial fulfillment of the requirements of the Cooperative Agreement DE-FC22-83FE60149 between the U.S. Department of Energy and the IIT Research Institute with primary sponsorship by the Federal Aviation Administration. In particular, the efforts of Mr. Gus Ferrara who provided direction for the FAA and assistance in the effort is acknowledged. Mr. Alex Crawley of the Bartlesville Project Office in Bartlesville, Oklahoma, coordinated the effort for the U.S. Department of Energy.

Approved For:	
DOIS	X
DOIS	
Unannounced	
Justified	
By:	
Distribution/	
In/Out/Status/Notes	
Dist. Special	
A-1	



TABLE OF CONTENTS

	<u>Page</u>
Acknowledgment.....	iii
Executive Summary.....	vii
Introduction.....	1
Experimental Program.....	1
Test Fuels.....	1
Test Procedures.....	1
Results.....	4
Winter-Grade Fuels.....	4
Summer-Grade Fuels.....	5
Conclusions.....	6
References.....	6
Appendix A	
Distribution List.....	A-1

TABLES AND ILLUSTRATIONS

Table

1	Vapor pressure versus time.....	7
2	Octane ratings.....	7
3	Fuel composition summary, New Orleans, winter.....	23
4	Fuel composition summary, Chicago, winter.....	24
5	Fuel composition summary, Ft. Lauderdale, winter.....	25
6	Fuel composition summary, Philadelphia, winter.....	26
7	Fuel composition summary, San Diego, winter.....	27
8	Fuel composition summary, Rockville, winter.....	28
9	Fuel composition summary, Sacramento, winter.....	29
10	Fuel composition summary, Houston, winter.....	30
11	Fuel composition summary, Wichita, winter.....	31
12	Fuel composition summary, Denver, winter.....	32
13	Vapor pressure versus time, summer fuels.....	33
14	Octane ratings, summer fuels.....	33
15	Fuel composition summary, Denver, summer.....	44
16	Fuel composition summary, Wichita, summer.....	45
17	Fuel composition summary, Washington DC, summer.....	46
18	Fuel composition summary, San Diego, summer.....	47
19	Fuel composition summary, Houston, summer.....	48
20	Fuel composition summary, Sacramento, summer.....	49
21	Fuel composition summary, Ft. Lauderdale, summer.....	50
22	Fuel composition summary, Duluth, summer.....	51
23	Fuel composition summary, New Orleans, summer.....	52
24	Fuel composition summary, Chicago, summer.....	53

Figure

1	Vapor pressure history, winter fuels from Houston and Sacramento.....	8
2	Vapor pressure history, winter fuels from Philadelphia and New Orleans.....	9

TABLE OF CONTENTS--CONTINUED

<u>Figure</u>		<u>Page</u>
3	Vapor pressure history, winter fuels from Rockville and San Diego.....	10
4	Vapor pressure history, winter fuels from Denver and Wichita.....	11
5	Vapor pressure history, winter fuels from Ft. Lauderdale and Chicago.....	12
6	Changes in distillation character due to weathering, winter fuels from Philadelphia.....	13
7	Changes in distillation character due to weathering, winter fuels from New Orleans.....	14
8	Changes in distillation character due to weathering, winter fuels from Denver.....	15
9	Changes in distillation character due to weathering, winter fuels from Wichita.....	16
10	Changes in distillation character due to weathering, winter fuels from Houston.....	17
11	Changes in distillation character due to weathering, winter fuels from Sacramento.....	18
12	Changes in distillation character due to weathering, winter fuels from Rockville.....	19
13	Changes in distillation character due to weathering, winter fuels from San Diego.....	20
14	Changes in distillation character due to weathering, winter fuels from Ft. Lauderdale.....	21
15	Changes in distillation character due to weathering, winter fuels from Chicago.....	22
16	Changes in distillation character due to weathering, summer fuel from New Orleans.....	34
17	Changes in distillation character due to weathering, summer fuels from Houston.....	35
18	Changes in distillation character due to weathering, summer fuels from Washington DC.....	36
19	Changes in distillation character due to weathering, summer fuel from Denver.....	37
20	Changes in distillation character due to weathering, summer fuel from Duluth.....	38
21	Changes in distillation character due to weathering, summer fuel from Ft. Lauderdale.....	39
22	Changes in distillation character due to weathering, summer fuel from Chicago.....	40
23	Changes in distillation character due to weathering, summer fuel from Sacramento.....	41
24	Changes in distillation character due to weathering, summer fuel from San Diego.....	42
25	Changes in distillation character due to weathering, summer fuel from Wichita.....	43

EXECUTIVE SUMMARY

This report describes studies conducted at the National Institute of Petroleum and Energy Research (NIPER) for the Federal Aviation Administration (FAA) under a cost sharing agreement with the U.S. Department of Energy. In these studies, the effect of aging automobile gasoline on its volatility and its octane rating was measured.

The samples tested in this program represented a wide geographic distribution for both winter and summer blends of automobile gasoline. Aging was accomplished by heating the samples to 110° F in vented containers and keeping the fuel sample at that temperature for 48 hours. The change in the volatility of the fuel was measured using the Reid Vapor Pressure (or an equivalent test and correcting it to the Reid Vapor Pressure). The research and motor octane numbers were measured before and after aging. The distillation curve of each fuel was determined for both the initial and aged samples. The constituents of each fuel were identified for both the initial and aged samples using gas chromatography and the principle constituents lost during aging were identified.

The changes in the distillation curve and the Reid Vapor Pressure were greater for the winter-grade fuels than the summer-grade fuels. This was expected since the winter-grade fuels contain a larger percentage of low molecular weight constituents (e.g., butane and isopentane) and these are the principle components lost during the aging process.

The changes in octane as a consequence of aging were, for the most part, negligible. The principle exception was for the winter-grade sample of fuel from Philadelphia which contained an unusually high percentage of butane. The change in octane rating was similar for both the winter grade and the summer grade fuels.

WEATHERING EFFECTS ON FUEL QUALITY

INTRODUCTION

The mandated reduction in fuel lead level and an increasing demand for high octane quality fuels necessary for maximum performance of vehicles require refineries to consider all possible means to produce acceptable quality fuels at competitive costs.

In the light aircraft industry, concerns exist that the substitution of motor gasoline for aviation gasoline might result in engine failure during maximum power demands. Weathered fuels which have lost higher volatility components will have qualities that are more closely related to the remaining lower volatility components. The bulk of the remaining portion lies in the distillation range that would be produced from alternative feedstocks and these tend to be the lower octane components. Requests to the Federal Aviation Administration (FAA) for autogas certification have raised questions concerning current regulations. The fuel certification procedures require aircraft fuel tests to be conducted at 110° F. Concerns are related to the higher volatility characteristics of autogas compared to aviation gas and the possibility of inducing vapor lock at high temperatures. There is also inadequate information regarding the weathering effect of fuel storage at high temperature and resultant effects on fuel octane quality.

EXPERIMENTAL PROGRAM

The experimental program at the National Institute for Petroleum and Energy Research (NIPER) was initiated to provide information to aid in making technical judgments on fuel, fuel specifications, and fuel conditioning requirements for a range of fuels that could be utilized in current light aircraft. This portion of the work is centered on determining the acceptability of motor fuels that have been weathered, causing loss of volatile components.

TEST FUELS.

Commercial auto gasolines from various locations were surveyed for volatility and octane quality--in both as-received and after-weathering conditions. Antiknock quality was evaluated to assess the suitability of this variety of auto fuels for aviation applications. Experiments have been conducted with ten winter (January-February) and ten summer (July-August) fuels that were obtained from commercial suppliers representing various geographic (refining) areas in the contiguous 48 states. The fuels were tested in as-received condition with no modifications to the existing vapor pressures. Specific fuel properties will be presented in the section dealing with test results.

TEST PROCEDURES.

Prior to testing, all fuels were stored in air tight sealed drums at 50° F and equilibrated at that temperature for a minimum of one week. The fuel weathering tests involved transferring the fuels to vented test tanks, heating

the fuel to 110° F and maintaining that fuel temperature for a 48-hour period. This time period was chosen to ensure noticeable aging effects following equilibration at 110° F. Fuel samples were taken within one hour of the time required for the fuel to equilibrate at 110° F and at 12, 24, and 48 hours afterward for determination of vapor pressures. In addition, fuel samples were taken both from the initial or fresh fuel and at the 48-hour point following temperature equilibration. These samples were analyzed for distillation characteristics (ASTM D 86), research octane number (RON) (ASTM D2699) and motor octane number (MON) (ASTM D2700). An attempt to identify specific components of the gasolines which are lost due to weathering at this temperature was conducted using gas chromatographic techniques.

Two fuel tanks representative of light aircraft were used. These were rectangular shaped with low height and large bottom surfaces. The total tank volumes were nominally 13 gallons. Each tank was vented through fill ports and this area was less than 2 percent of the tank top area. The tanks were placed on stands in a test cell having a temperature control range of 50° to 120° F \pm 1°. Thermocouples were placed in the tanks approximately one inch above the bottom surface to monitor fuel temperature, and additional monitoring for temperature history was made with a chart recorder. The tank levels specified were a minimum of 90 percent full.

The test procedure consists of the following:

1. Fuels were stored at an ambient temperature 50° F and an initial (fresh fuel) sample was taken under these conditions.
2. Test fuel tanks were filled with 50° F fuel to the 12-gallon (92 percent full) level.
3. Tank vents were left open to the atmosphere.
4. The tanks were then placed in the soak area and heated to a fuel temperature of 110° F. This fuel temperature was controlled by room ambient temperature throughout the test to \pm 1° F.
5. Fuel samples were taken within one hour of attaining the desired temperature. This was referred to as time = 0.
6. Additional samples were taken at 12, 24, and 48 hours following equilibration at 110° F.

As mentioned earlier, additional measurements were made with the initial and 48-hour samples. These included:

1. Distillation characteristics by ASTM D 86 technique.
2. Fuel octane evaluations--both RON and MON.
3. Component characterization by gas chromatographic analyses.

Vapor pressure measurements were made from all samples taken. The fuel samples for vapor pressure analyses were stored and equilibrated at 50° F. Vapor pressure measurements for the ten winter grade fuels were made at NIPER using the ASTM microvapor pressure (MVP) procedure D 2551-71. The MVP was measured with a model "B" vapor pressure gauge from Manufacturers Engineering and Equipment Corporation.

The micro method was developed as an alternative to the standard RVP procedure ASTM D 323 to offer an advantage in speed and size of sample required. The RVP method consisted of filling a gasoline chamber of vapor pressure apparatus with a chilled sample of gasoline. The gasoline chamber was connected to an air chamber maintained at 100° F, and the apparatus was immersed in a bath at 100° F and shaken periodically until a constant pressure was observed on a gauge attached to the apparatus. The gauge reading, suitably corrected, was reported as Reid vapor pressure.

The microvapor pressure consisted of introducing a liquid sample into an evacuated chamber fitted with means of measuring pressure in the chamber before and after sample introduction. The apparatus was immersed in a constant temperature bath of 100° F. Both the RVP and MVP procedures used vapor/liquid volume ratios of about 4:1.

When a sample of volatile hydrocarbons is saturated with air and introduced into a chamber and allowed to equilibrate, the increase in pressure is equal to the sum of the following four pressures:

1. The vapor pressure of the liquid at the temperature of the chamber.
2. The partial pressure of the dissolved air that comes out of solution.
3. The partial pressure of the dissolved water.
4. The compression effect of the liquid volume on initial air within the chamber.

The only significant pressures of these four which contribute to the total pressure are the first two, the vapor pressure of the sample and partial pressure of the dissolved air.

By nature of the systems, the evacuated chamber associated with the MVP presumes that all dissolved air will come entirely out of the solution and be measured and corrected; whereas, the Reid method (above atmospheric pressure) automatically compensates for the effect of dissolved air. Therefore, the RVP of a given sample will always be lower than the MVP of the same sample. For conversion of MVP results to RVP, the MVP may be corrected for the effect of dissolved air or empirically correlated with Reid values.

The samples were saturated with air at 50° F and pressures measured by mercury manometer at 100° F by mercury manometer. The empirical mathematical relationship of MVP and RVP was supplied with the test apparatus.

The equation:

$$\text{ERVP, psi} = 0.019 (\text{MVP, mmHg}) - 0.66$$

allows the measured MVP to be expressed as an equivalent Reid vapor pressure (ERVP).

The summer fuel vapor pressure measurements were made using the Reid procedure. A Berzog semi-automatic Reid vapor pressure apparatus was used. The change in vapor pressure apparatus for the summer measurements was made primarily for purpose of faster turnaround. Results from the two types of vapor pressure measurements were examined at NIPER for a variety of fuels in the pressure range of interest and were found to be very comparable.

RESULTS

WINTER-GRADE FUELS.

Table 1 shows a tabular history of the fuel vapor pressure changes due to weathering effects at 110° F. The fuels are identified by the city of origin. These data are presented as ERVP. The vapor pressure samples were taken within the previously defined time limits. As a group, the original or unweathered pressures had (with Philadelphia as an exception) an approximate range of 12.5 to 14 psi. The Philadelphia fuel had a value of 16.1 psi. The weathered values varied from about 10 to 11 psi indicating losses in ERVP ranging from about 2.0 to 3.1 psi for the 48-hour period.

Figures 1 through 5 are the plotted vapor pressure results for fuels which were tested simultaneously. It should be noted that the differences in equilibration time (from initial sample to $t = 0$) are due to changes in test cell heating capabilities. An initial malfunction in the system was responsible for longer equilibration periods as seen in the Denver-Wichita plot (figure 4). These times were reduced to around 10 hours following repairs. Cell temperatures at times reached 1200° F during this period, but careful modulation assured no fuel temperature excursions from the target values. A linear regression analysis was conducted on the results for the winter grade fuels. From these results there appears to be a strong relationship between the change in vapor pressure and the initial RVP; that is, the higher the initial RVP, the greater the change due to aging. However, this relationship is also affected by fuel compositional differences. The data suggest that fuels with similar initial vapor pressures, i.e., Denver-Wichita and Rockville-San Diego, do not necessarily weather similarly. These differences would appear to be attributable to compositional differences. In general, most of the vapor pressure decreases occurred before the 10-hour weathering point.

Table 2 presents octane changes (both RON and MON) for these ten high vapor pressure winter fuels. Decreases in octane quality due to weathering appeared to be minimal and were generally less than 0.3 octane number. Most of these data were within experimental repeatability. An exception is seen with the winter Philadelphia regular unleaded fuel. A decrease of 0.7 in MON was noted and as can be seen in the compositional data, is attributed to the high initial content of butane.

Figures 6 through 15 show changes in the fuels' distillation character due to the controlled weathering conditions. The fuels all exhibited similar trends, with the major effect due to loss of volatile front-end components.

Increases in fuel initial boiling point (IBP) attributable to the 110° F soak ranged from 10 to 40° F. Ten-volume percent distilled level changes varied from 12° to 22° F for the Sacramento fuel to a high of 16° F for the unleaded fuel from Wichita.

All of the fuels showed similar trends for the most part, with the high vapor pressure Philadelphia fuel exhibiting the largest changes in boiling character. Distillation temperature increases for this fuel ranged to more than 100° F between the 1- and 50-volume percent distilled points. Again, the larger changes in this fuel are attributable to losses of a large amount of butane content in the original fuel.

Tables 3 through 12 are fuel compositions for the individual fuels. These are results of gas chromatographic analyses conducted on the initial and 48-hour samples. These GC data are presented as volume percent summations as a function of both carbon number and compound class. A listing of compound specific analyses for each summer and winter fuel, original and weathered, are contained in reference 1. In general, as might be expected, most of the changes occur in the C₁ to C₅ range containing the most volatile materials, i.e., butanes, and pentanes. Note that when reviewing tables 3 through 12, relative changes should be kept in mind; as one component decreases, the relative percentage of the others increase.

As an example, the 16.1 psi Philadelphia fuel exhibited the largest changes in vapor pressure, octane, and distillation character. Table 4 presents the compositional summaries from samples taken before and after weathering. By far, the largest total change is with the C₄ compounds. The very high initial vapor pressure would suggest that the volatile materials lost were butane and isopentane. The specific component listing in reference 1 indicates a high initial butane content.

SUMMER-GRADE FUELS.

The summer fuels tested were procured from geographic locations similar to those of the winter fuels. Both regular and premium unleaded gasolines were obtained, and as would be discovered, a gasohol fuel was included. Table 13 shows the effect of a controlled 110° F soak on the vapor pressures. Unweathered fuel RVP values were from about 8.5 to 11 psi. Decreases in vapor pressures due to weathering ranged from a low of 0.5 psi for Wichita samples to a high of 2.0 psi for Duluth. As with the winter fuels, most of the decreases occurred within 12 hours, and the drop in RVP appears to be marginally dependent on the initial RVP of the summer grade blends, with the fuel composition affecting the overall decline.

Octane quality changes are presented in table 14. Motor octane results showed no degradation for most of the fuels. Only the premium unleaded Sacramento fuel tests indicated a significant octane decrease of 0.7.

Figures 16 through 25 contain information on the summer fuel distillation character before and after weathering. For most cases, there were barely discernible differences in fuel boiling range due to weathering. IBP changes were minimal. The Houston fuel exhibited the most change with 5, 10, and 20 percent points increasing by about 10° F after weathering. This is not unexpected for these fuels since they contain far lower quantities of the more volatile front-end components normally used for vapor pressure enhancement. Specific alcohol analysis was conducted with the New Orleans fuel. Results showed 10-volume percent ethanol, thus accounting for the unusual shape of the distillation curves--the boiling point for ethanol is 173° F.

Tables 15 through 25 contain fuel compositional summaries for the summer fuels. As with the winter fuel results, the changes occur mostly in the front ends, from C₁ to C₅. Again, the specific component results for these fuels are contained in reference 1. It should be noted that the relatively small component losses for these fuels had essentially no effects on their octane and distillation characteristics.

CONCLUSIONS

Tests were conducted to measure the effect of aging automobile gasoline on fuel volatility and octane characteristics. Winter and summer grade fuels were acquired from various locations in the contiguous United States.

It can be concluded that in most cases changes in automobile gasoline octane quality due to aging fuels at 110° F for 48 hours would be negligible for both summer and winter fuels. The only exceptions noted in these tests were due in one case to a relatively high butane concentration in the fuel and in another a sample container leaked following aging but prior to testing for the octane rating.

The magnitude of decrease in volatility, as characterized by Reid Vapor Pressure (RVP), was somewhat dependent on the initial test fuel RVP. However, fuel with similar initial vapor pressures do not necessarily age in a similar manner. Volatility decreases due to aging are dependent on the type and quantity of light hydrocarbon components found in the fuel.

Decreases in RVP due to aging, for both summer and winter fuels, occurred primarily during the 12-hour period following equilibration at 110° F. Changes occurring between 24 and 48 hours were within method repeatability.

Aging of the summer-grade fuels produced only minor increases in the distillation temperatures. Increases in the initial boiling point and distillation curve were more pronounced for the winter-grade fuels. These increases were most evident in the front end (low molecular weight-low boiling) point range of the distillation curve. The winter grade Philadelphia gasoline, which contained a very high butane concentration, exhibited the greatest loss in volume. The changes measured in these experiments are similar to results from similar studies contained in references 2, 3, and 4.

REFERENCES

1. Evaluation of Gas Chromatography Data from Fuel Aging Studies, DOT/FAA/CT-TN86/53, Richard Wares, National Institute for Petroleum and Energy Research, December 1981.
2. Weathering Effects on Autogas, DOT/FAA/CT-TN86/54, Richard Wares and Jerry Adams, National Institute for Petroleum and Energy Research, October 1985.
3. Effects of Sealing and Ventilation upon Autogas Volatility, DOT/FAA/CT-TN86/55, Richard Wares, Federal Aviation Administration Technical Center, March 1986.
4. Fuel System for General Aviation Aircraft, DOT/FAA/CT-87/05, P. Stewart Byrnes, William J. Lawrence, and Augusto M. Ferrara, Federal Aviation Administration Technical Center, April 1987.

TABLE 1. - Vapor pressure versus time

Fuel	Equivalent Reid Vapor Pressure (psi)				
	Original	0	Time		
			12	24	48
Houston, TX	12.51	11.69	11.31	10.97	10.65
Sacramento, CA	12.51	11.46	10.99	11.10	10.61
Philadelphia, PA	12.14	12.11	11.37	11.16	10.78
New Orleans, LA	12.66	11.61	11.10	11.03	10.80
Rockville, MD	12.85	10.99	10.70	10.32	10.13
San Diego, CA	12.98	11.48	11.18	10.95	10.87
Denver, CO	14.06	12.36	11.73	11.27	10.84
Wichita, KS	14.08	12.08	11.69	11.54	11.37
Ft. Lauderdale, FL	11.98	10.19	10.15	10.04	9.81
Chicago, IL	13.93	11.82	11.44	11.37	10.87

TABLE 2. - Octane ratings

Fuel	RON			MON		
	Initial	Final	Diff.	Initial	Final	Diff.
Houston, TX	91.6	91.5	0.1	82.6	82.4	0.2
Sacramento, CA	92.0	91.7	0.3	82.6	82.4	0.2
Philadelphia, PA	92.1	91.7	0.4	81.5	80.8	0.7
New Orleans, LA	92.3	92.3	0.0	86.2	86.1	0.1
Rockville, MD	91.7	91.4	0.3	82.3	82.2	0.1
San Diego, CA	92.3	92.1	0.2	82.8	82.5	0.3
Denver, CO	89.0	88.6	0.4	80.5	80.1	0.4
Wichita, KS	91.8	91.7	0.1	82.8	82.5	0.3
Ft. Lauderdale, FL	91.6	91.6	0.0	82.2	82.1	0.1
Chicago, IL	91.3	91.3	0.0	82.4	82.3	0.1





FIGURE 1. - Vapor pressure history, winter fuels from Houston and Sacramento.






FIGURE 3. - Vapor pressure history, winter fuels from Rockville and San Diego.




FIGURE 4. - Vapor pressure history, winter fuels from




FIGURE 5. - Vapor pressure history, winter fuels from Ft. Lauderdale and Chicago.




FIGURE 6. - Changes in distillation character due to weathering, winter fuels from Philadelphia.




FIGURE 7. - Changes in distillation character due to weathering, winter fuels from New Orleans.




FIGURE 8. - Changes in distillation character due to weathering, winter fuels from Denver.




FIGURE 9. - Changes in distillation character due to weathering, winter fuels from Wichita.




FIGURE 10. - Changes in distillation character due to weathering, winter fuels from Houston.




FIGURE 11. - Changes in distillation character due to weathering, winter fuels from Sacramento.




FIGURE 12. - Changes in distillation character due to weathering, winter fuels from Rockville.




FIGURE 13. - Changes in distillation character due to weathering, winter fuels from San Diego.




FIGURE 14. - Changes in distillation character due to weathering, winter fuels from Ft. Lauderdale.




FIGURE 15. - Changes in distillation character due to weathering, winter fuels from Chicago.

TABLE 3. - Fuel composition summary - New Orleans - winter

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.12	0.00	0.00	0.02	0.00	0.13
4	9.54	2.26	0.00	0.88	0.00	12.69
5	5.94	8.65	0.12	4.52	0.00	19.23
6	4.27	8.01	1.42	1.51	1.03	16.24
7	1.47	8.41	2.10	2.68	3.68	18.33
8	0.57	16.88	0.69	0.03	4.45	22.63
9	0.12	2.83	0.04	0.00	3.06	6.05
10	0.05	2.20	0.00	0.00	2.22	4.47
11	0.05	0.02	0.00	0.00	0.15	0.22
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	22.13	49.27	4.36	9.64	14.60	100.00

Average Molecular Weight = 88.64

Average Density = .702

Average Carbon Number = 6.29

H/C Ratio = 2.06

<u>48 Hours</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.05	0.00	0.00	0.01	0.00	0.06
4	7.55	1.59	0.00	0.70	0.00	9.85
5	5.65	8.00	0.11	4.57	0.00	18.33
6	4.26	7.93	1.43	1.53	1.11	16.25
7	1.50	8.45	2.10	2.72	4.01	18.78
8	0.59	19.48	0.87	0.04	4.61	25.59
9	0.12	3.14	0.00	0.00	3.19	6.45
10	0.05	2.28	0.00	0.00	2.15	4.48
11	0.05	0.02	0.00	0.00	0.14	0.21
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	19.82	50.87	4.51	9.57	15.21	100.00

Average Molecular Weight = 90.69

Average Density = .708

Average Carbon Number = 6.44

H/C Ratio = 2.04

TABLE 4. - Fuel composition summary - Chicago - winter

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.17	0.00	0.00	0.02	0.00	0.18
4	11.68	1.57	0.00	1.35	0.00	14.60
5	6.23	10.56	0.19	4.29	0.00	21.28
6	3.12	11.44	2.57	1.74	1.76	20.63
7	1.73	4.56	1.26	2.07	9.02	18.65
8	0.58	5.75	1.17	0.10	3.18	10.78
9	0.14	1.04	0.00	0.00	7.56	8.73
10	0.10	0.20	0.00	0.00	4.22	4.53
11	0.10	0.03	0.00	0.00	0.49	0.62
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	23.85	35.15	5.19	9.58	26.23	100.00

Average Molecular Weight = 85.92

Average Density - .715

Average Carbon Number = 6.16

H/C Ratio = 1.93

<u>48 Hours</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.05	0.00	0.00	0.00	0.00	0.05
4	7.98	0.88	0.00	0.93	0.00	9.79
5	5.82	9.48	0.19	4.01	0.00	19.49
6	4.19	11.73	2.78	2.49	1.87	23.06
7	1.88	4.96	1.37	2.28	9.89	20.39
8	0.63	6.41	0.77	0.11	3.55	11.48
9	0.15	1.23	0.00	0.00	8.35	9.74
10	0.12	0.26	0.00	0.00	4.75	5.12
11	0.11	0.03	0.00	0.00	0.73	0.87
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	20.93	34.98	5.11	9.82	29.14	100.00

Average Molecular Weight = 88.87

Average Density - .727

Average Carbon Number = 6.39

H/C Ratio = 1.88

TABLE 5. - Fuel composition summary - Ft. Lauderdale - winter

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.14	0.00	0.00	0.05	0.00	0.19
4	8.12	1.59	0.00	1.20	0.00	10.92
5	5.78	10.71	0.17	4.19	0.00	20.85
6	3.40	10.87	2.64	3.04	2.29	22.25
7	1.66	5.75	1.52	2.59	8.31	19.83
8	0.45	5.92	0.77	0.06	6.45	13.65
9	0.12	1.63	0.02	0.00	6.09	7.86
10	0.08	0.25	0.00	0.00	3.67	4.00
11	0.07	0.00	0.00	0.00	0.40	0.46
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	19.81	36.73	5.12	11.13	27.21	100.00

Average Molecular Weight = 87.39

Average Density = .720

Average Carbon Number = 6.27

H/C Ratio = 1.90

48 Hours

Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.06	0.00	0.00	0.02	0.00	0.08
4	5.41	1.10	0.00	0.92	0.00	7.43
5	5.42	10.00	0.17	4.03	0.00	19.61
6	3.37	10.79	2.72	3.25	2.56	22.68
7	1.71	6.44	1.75	2.88	8.46	21.24
8	0.42	6.32	0.89	0.08	8.12	15.83
9	0.12	2.10	0.06	0.00	5.86	8.14
10	0.07	0.37	0.00	0.00	3.59	4.03
11	0.05	0.13	0.00	0.00	0.72	0.90
12	0.00	0.00	0.00	0.00	0.05	0.05
Total	16.61	37.25	5.59	11.19	29.36	100.00

Average Molecular Weight = 89.78

Average Density = .730

Average Carbon Number = 6.46

H/C Ratio = 1.87

TABLE 6. - Fuel composition summary - Philadelphia - winter

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.06	0.00	0.00	0.01	0.00	0.07
4	9.23	3.19	0.00	5.09	0.00	17.51
5	9.55	12.86	0.24	6.77	0.00	29.43
6	1.70	6.46	1.61	5.27	0.44	15.49
7	0.85	2.90	1.42	3.62	3.50	12.29
8	0.37	3.34	1.65	0.16	5.21	10.74
9	0.14	2.89	0.09	0.00	4.96	8.08
10	0.11	0.70	0.00	0.00	3.97	4.78
11	0.15	0.08	0.00	0.00	0.89	1.13
12	0.15	0.16	0.00	0.00	0.18	0.48
Total	22.31	32.59	5.02	20.93	19.15	100.00

Average Molecular Weight = 83.51

Average Density = .699

Average Carbon Number = 5.96

H/C Ratio = 1.99

<u>48 Hours</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.01	0.00	0.00	0.00	0.00	0.01
4	4.77	1.13	0.00	2.60	0.00	8.50
5	8.95	11.01	0.25	6.31	0.00	26.53
6	1.93	7.08	1.86	5.95	0.51	17.33
7	1.04	3.46	1.75	4.34	4.40	14.98
8	0.39	4.21	2.16	0.26	6.47	13.48
9	0.17	3.61	0.12	0.00	6.33	10.23
10	0.14	0.96	0.00	0.00	4.99	6.08
11	0.20	0.08	0.00	0.00	1.69	1.97
12	0.19	0.00	0.00	0.00	0.70	0.90
Total	17.78	31.54	6.13	19.46	25.09	100.00

Average Molecular Weight = 89.77

Average Density = .723

Average Carbon Number = 6.44

H/C Ratio = 1.91

TABLE 7. - Fuel composition summary - San Diego - winter

Volume-percent Summation by Carbon Number and Compound Class

Carbon No.	<u>Initial</u>					<u>Total</u>
	<u>Normal</u>	<u>Paraffins Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.12	0.00	0.00	0.03	0.00	0.15
4	7.41	3.97	0.00	0.74	0.00	12.12
5	4.64	10.29	0.19	4.84	0.00	19.96
6	2.57	7.20	2.33	3.22	1.25	16.57
7	1.37	4.68	3.17	0.54	6.28	16.05
8	0.78	6.61	1.22	0.01	9.12	17.75
9	0.38	3.14	0.11	0.00	7.19	10.82
10	0.25	1.02	0.00	0.00	4.46	5.72
11	0.14	0.03	0.00	0.00	0.48	0.64
12	0.00	0.06	0.00	0.00	0.15	0.22
Total	17.65	37.00	7.03	9.39	28.93	100.00

Average Molecular Weight = 89.52

Average Density = .726

Average Carbon Number = 6.43

H/C Ratio = 1.89

48 Hours

Carbon No.	<u>48 Hours</u>					<u>Total</u>
	<u>Normal</u>	<u>Paraffins Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.05	0.00	0.00	0.01	0.00	0.06
4	6.00	2.85	0.00	0.60	0.00	9.45
5	4.52	9.69	0.20	4.69	0.00	19.10
6	2.64	7.32	2.35	3.28	1.30	16.90
7	1.45	4.88	3.31	0.58	6.58	16.79
8	0.82	6.94	1.00	0.01	9.60	18.37
9	0.40	3.21	0.16	0.00	7.61	11.37
10	0.26	1.43	0.00	0.00	4.90	6.59
11	0.15	0.17	0.00	0.00	0.63	0.95
12	0.00	0.11	0.00	0.00	0.30	0.41
Total	16.29	36.61	7.01	9.18	30.91	100.00

Average Molecular Weight = 91.61

Average Density = .734

Average Carbon Number = 6.60

H/C Ratio = 1.86

TABLE 8. - Fuel composition summary - Rockville - Winter

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.19	0.00	0.00	0.03	0.00	0.22
4	7.41	1.77	0.00	2.54	0.00	11.72
5	7.00	10.49	0.18	4.80	0.00	22.48
6	2.47	8.54	1.66	3.64	1.21	17.52
7	1.22	5.72	2.07	1.40	5.70	15.11
8	0.52	7.65	1.59	0.07	7.64	16.87
9	0.35	3.01	0.08	0.00	6.41	9.85
10	0.25	0.83	0.00	0.00	3.69	4.77
11	0.11	0.03	0.00	0.00	0.29	0.43
12	0.00	0.01	0.00	0.00	0.03	0.03
Total	19.52	38.05	5.85	12.48	20.17	100.00

Average Molecular Weight = 88.15

Average Density = .716

Average Carbon Number = 6.31

H/C Ratio = 1.94

<u>48 Hours</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.06	0.00	0.00	0.01	0.00	0.07
4	5.46	1.09	0.00	1.86	0.00	8.41
5	6.83	9.78	0.18	4.71	0.00	21.51
6	2.63	8.94	1.78	3.86	1.31	18.53
7	1.32	6.24	2.36	1.45	6.20	17.58
8	0.59	9.12	0.98	0.06	7.52	18.27
9	0.38	2.73	0.09	0.00	6.72	9.92
10	0.24	1.01	0.00	0.00	4.00	5.25
11	0.11	0.03	0.00	0.00	0.32	0.47
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	17.62	38.94	5.39	11.95	26.07	99.97

Average Molecular Weight = 90.25

Average Density = .724

Average Carbon Number = 6.47

H/C Ratio = 1.91

TABLE 9. - Fuel composition summary - Sacramento - winter

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.24	0.00	0.00	0.00	0.00	0.24
4	5.93	2.87	0.00	0.97	0.00	9.77
5	5.75	13.15	0.22	3.34	0.00	22.46
6	2.75	10.84	3.81	3.37	1.64	22.42
7	1.12	5.51	3.10	1.28	6.00	17.00
8	0.38	7.09	1.90	0.06	7.80	17.22
9	0.21	3.01	0.07	0.00	4.95	8.23
10	0.09	0.36	0.00	0.00	2.06	2.50
11	0.00	0.00	0.00	0.00	0.15	0.15
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	16.46	42.84	9.10	9.01	22.59	100.00

Average Molecular Weight = 87.54

Average Density = .714

Average Carbon Number = 6.26

H/C Ratio = 1.96

<u>48 Hours</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.12	0.00	0.00	0.00	0.00	0.12
4	5.00	2.17	0.00	0.82	0.00	7.99
5	5.71	12.67	0.23	3.32	0.00	21.92
6	2.87	11.15	3.96	3.24	1.70	22.92
7	1.18	5.67	1.61	2.82	6.25	17.53
8	0.35	8.55	1.26	0.03	8.12	18.31
9	0.11	3.02	0.07	0.00	5.22	8.42
10	0.00	0.41	0.00	0.00	2.23	2.65
11	0.00	0.00	0.00	0.00	0.14	0.14
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	15.33	43.65	7.13	10.24	23.65	100.00

Average Molecular Weight = 88.71

Average Density = .718

Average Carbon Number = 6.35

H/C Ratio = 1.94

TABLE 10. - Fuel composition summary - Houston - 1967

Volume-percent summation by Carbon Number and Component Class

Carbon No.	Initial					Total
	Normal	Paraffins Iso	Napththenes	Olefins	Aromatics	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.09	0.00	0.00	0.00	0.00	0.09
4	8.11	1.43	0.00	1.00	0.00	10.54
5	6.98	11.01	0.18	4.13	0.00	22.31
6	2.02	8.10	1.88	2.79	0.88	15.67
7	1.08	5.13	2.30	0.87	1.36	10.74
8	0.59	4.17	0.95	0.13	8.10	13.94
9	0.46	2.71	0.07	0.00	9.20	12.44
10	0.27	0.49	0.00	0.00	6.04	6.79
11	0.07	0.01	0.00	0.00	1.01	1.08
12	0.00	0.02	0.00	0.00	0.09	0.11
Total	24.67	33.16	5.34	9.77	11.97	100.00

Average Molecular Weight = 89.95

Average Density = 0.730

Average Carbon Number = 6.48

API Gravity = 1.67

48 Hours

Carbon No.	48 Hours					Total
	Normal	Paraffins Iso	Napththenes	Olefins	Aromatics	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.04	0.00	0.00	0.11	0.00	0.15
4	6.63	1.03	0.00	1.50	0.00	9.17
5	6.65	10.63	0.18	4.01	0.00	21.58
6	2.10	8.32	1.96	2.78	0.90	16.06
7	1.15	5.23	1.25	1.98	5.23	14.85
8	0.62	4.94	1.18	0.02	10.27	17.03
9	0.24	2.44	0.09	0.00	9.90	12.67
10	0.14	0.65	0.00	0.00	6.31	7.11
11	0.19	0.00	0.00	0.00	1.09	1.28
12	0.02	0.00	0.00	0.00	0.07	0.09
Total	18.10	33.16	4.66	10.30	33.78	100.00

Average Molecular Weight = 91.54

Average Density = 0.736

Average Carbon Number = 6.60

API Gravity = 1.64

TABLE 11. - Fuel composition summary - Wichita - winter

Volume-percent Summation by Carbon Number and Compound Class

Carbon No.	<u>Initial</u>					<u>Total</u>
	<u>Normal</u>	<u>Paraffins Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.12	0.00	0.00	0.00	0.00	0.12
4	11.92	1.45	0.00	2.73	0.00	16.11
5	6.22	7.29	0.16	3.92	0.00	17.59
6	3.56	7.03	2.06	3.34	1.21	17.20
7	1.56	8.90	1.49	1.28	5.44	18.66
8	0.56	9.20	1.10	0.08	7.29	18.22
9	0.29	2.45	0.00	0.00	5.33	8.07
10	0.15	0.86	0.00	0.00	2.76	3.77
11	0.04	0.00	0.00	0.00	0.22	0.26
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	24.42	37.18	4.80	11.35	22.26	100.00

Average Molecular Weight = 87.02

Average Density - .710

Average Carbon Number = 6.22

H/C Ratio = 1.97

48 Hours

Carbon No.	<u>48 Hours</u>					<u>Total</u>
	<u>Normal</u>	<u>Paraffins Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.04	0.00	0.00	0.00	0.00	0.04
4	9.04	0.94	0.00	2.06	0.00	12.04
5	6.04	6.79	0.17	3.80	0.00	16.81
6	3.73	7.29	2.16	3.50	1.25	17.93
7	1.67	9.58	1.58	1.35	5.87	20.06
8	0.60	10.00	1.21	0.10	7.82	19.72
9	0.33	2.81	0.01	0.00	5.81	8.94
10	0.15	0.73	0.00	0.00	3.18	4.06
11	0.05	0.00	0.00	0.00	0.35	0.41
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	21.65	38.13	5.12	10.81	24.28	100.00

Average Molecular Weight = 89.57

Average Density - .719

Average Carbon Number = 6.41

H/C Ratio = 1.94

TABLE 12. - Fuel composition summary - Denver - winter

Volume-percent Summation by Carbon Number and Compound Class

Carbon No.	<u>Initial</u>					Total
	<u>Normal</u>	<u>Paraffins Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.25	0.00	0.00	0.00	0.00	0.25
4	5.23	5.73	0.00	2.54	0.00	13.50
5	6.84	8.49	0.19	3.53	0.00	19.05
6	5.48	9.02	3.84	2.55	1.28	22.16
7	0.25	5.97	3.08	1.63	6.32	19.30
8	0.67	3.91	0.71	0.07	7.64	13.00
9	0.37	2.27	0.02	0.00	5.73	8.40
10	0.19	0.39	0.00	0.00	3.23	3.81
11	0.14	0.00	0.00	0.00	0.38	0.52
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	21.43	35.78	7.84	10.38	24.58	100.00

Average Molecular Weight = 86.83

Average Density = .715

Average Carbon Number = 6.22

H/C Ratio = 1.94

48 Hours

Carbon No.	<u>48 Hours</u>					Total
	<u>Normal</u>	<u>Paraffins Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.07	0.00	0.00	0.00	0.00	0.07
4	3.87	3.48	0.00	1.85	0.00	9.20
5	6.63	7.88	0.19	3.39	0.00	18.10
6	5.79	9.33	4.05	2.65	1.35	23.18
7	2.44	6.90	2.91	1.80	6.85	20.89
8	0.76	4.24	0.82	0.10	8.37	14.29
9	0.41	2.52	0.01	0.00	6.24	9.17
10	0.21	0.47	0.00	0.00	3.66	4.33
11	0.13	0.00	0.00	0.00	0.62	0.75
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	20.31	34.82	7.98	9.80	27.09	100.00

Average Molecular Weight = 89.57

Average Density = .726

Average Carbon Number = 6.43

H/C Ratio = 1.96

TABLE 13. - Vapor pressure versus time - summer fuels

Fuel	Equivalent Reid Vapor Pressure (psi)				
	Original	Time			
		0	12	24	48
New Orleans, LA	11.2	9.5	9.3	9.2	9.2
Houston, TX	8.8	8.2	7.6	7.7	7.4
Washington, DC	9.9	9.7	8.5	8.4	8.2
Denver, CO	9.2	8.9	8.4	8.5	8.3
Ft. Lauderdale, FL	10.6	9.8	9.5	9.3	9.3
Chicago, IL	10.2	9.6	9.5	9.3	9.3
Sacramento, CA	8.7	8.4	8.3	8.2	8.0
San Diego, CA	8.9	8.4	8.2	8.2	8.1
Wichita, KS	8.9	8.8	8.6	8.4	8.4
Duluth, MN	10.6	9.3	8.3	7.9	8.1

TABLE 14. - Octane ratings - summer fuels

Fuel	RON			MON		
	Initial	Final	Diff.	Initial	Final	Diff.
New Orleans, LA	95.2	95.1	0.1	83.7	83.7	0.0
Houston, TX	97.5	97.5	0.0	86.5	86.5	0.0
Washington, DC	91.7	91.4	0.3	81.6	81.6	0.0
Denver, CO	89.4	89.4	0.0	80.1	80.0	0.0
Ft. Lauderdale, FL	97.5	97.5	0.0	86.8	86.8	0.0
Chicago, IL	93.1	93.0	0.1	83.7	83.7	0.0
Sacramento, CA	98.1	97.5	0.6	85.8	85.0	0.8
San Diego, CA	92.7	92.6	0.1	82.2	82.2	0.0
Wichita, KS	94.1	94.0	0.1	85.0	84.8	0.2
Duluth, MN	94.9	94.0	0.0	86.4	86.1	0.3




FIGURE 10. - Changes in distillation character due to weathering, summer fuel from New Orleans




FIGURE 17. - Changes in distillation character due to weathering, summer fuels from Houston.




FIGURE 12. - Changes in distillation character due to weathering, summer fuels from Washington, DC




FIGURE 19. - Changes in distillation character due to weathering, summer fuel from Denver.




FIGURE 20. - Changes in distillation character due to weathering, summer fuel from Duluth.




FIGURE 21. - Changes in distillation character due to weathering, summer fuel from Ft. Lauderdale.




FIGURE 22. - Changes in distillation character due to weathering, summer fuel from Chicago.




FIGURE 23. - Changes in distillation character due to weathering, summer fuel from Sacramento




FIGURE 24. - Changes in distillation character due to weathering, summer fuel from San Diego.




FIGURE 25. - Changes in distillation character due to weathering, summer fuel from Wichita.

TABLE 15. - Fuel composition summary - Denver - summer

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.46	0.00	0.00	0.02	0.00	0.48
4	2.77	1.54	0.00	1.58	0.00	5.89
5	6.20	7.89	0.17	3.25	0.00	17.52
6	4.68	7.18	3.13	4.01	1.48	20.48
7	2.40	6.29	1.64	3.22	7.78	21.33
8	0.92	5.48	1.06	0.46	9.14	17.07
9	0.24	3.08	0.09	0.00	7.30	10.72
10	0.13	0.87	0.00	0.00	4.46	5.47
11	0.08	0.20	0.00	0.00	0.53	0.91
12	0.00	0.13	0.00	0.00	0.00	0.13
Total	17.89	32.67	6.10	12.54	30.80	100.00

Average Molecular Weight = 92.23

Average Density = .736

Average Carbon Number = 6.64

H/C Ratio = 1.85

48 Hours

Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.24	0.00	0.00	0.11	0.00	0.35
4	8.91	1.94	0.00	1.11	0.00	11.96
5	3.90	5.09	0.12	2.04	0.00	11.15
6	3.91	5.89	2.73	3.26	1.19	16.97
7	2.34	6.03	1.62	3.39	7.92	21.30
8	1.00	5.53	1.25	0.38	10.35	18.52
9	0.27	3.45	0.09	0.00	8.57	12.38
10	0.14	0.93	0.00	0.00	5.15	6.23
11	0.09	0.21	0.00	0.00	0.71	1.02
12	0.00	0.13	0.00	0.00	0.00	0.13
Total	20.80	29.19	5.82	10.29	33.89	100.00

Average Molecular Weight = 92.41

Average Density = .740

Average Carbon Number = 6.19

H/C Ratio = 1.83

TABLE 16. - Fuel composition summary - Wichita - summer

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	<u>Normal</u>	Paraffins <u>Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	<u>Total</u>
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.11	0.00	0.00	0.07	0.00	0.17
4	6.48	1.05	0.00	1.79	0.00	9.33
5	2.72	5.94	0.08	2.57	0.00	11.32
6	2.27	5.41	0.87	3.19	1.41	13.15
7	1.49	7.27	1.72	2.56	6.85	19.90
8	0.49	19.98	0.91	0.38	9.33	31.08
9	0.12	4.23	0.20	0.00	5.81	10.35
10	0.04	1.56	0.00	0.00	2.88	4.48
11	0.02	0.01	0.00	0.00	0.20	0.23
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	13.75	45.44	3.77	10.57	26.48	100.00

Average Molecular Weight = 94.48

Average Density = .730

Average Carbon Number = 6.78

H/C Ratio = 1.91

<u>48 Hours</u>						
Carbon No.	<u>Normal</u>	Paraffins <u>Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	<u>Total</u>
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.08	0.00	0.00	0.04	0.00	0.13
4	7.55	1.21	0.00	1.57	0.00	10.33
5	1.41	3.22	0.05	1.28	0.00	5.96
6	2.20	4.15	0.73	1.99	1.04	10.12
7	1.49	6.78	1.53	2.33	6.92	19.04
8	0.59	21.42	1.10	0.34	11.37	34.83
9	0.16	5.10	0.25	0.00	7.81	13.31
10	0.05	2.24	0.00	0.00	3.68	5.97
11	0.03	0.02	0.00	0.00	0.27	0.32
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	13.56	44.14	3.66	7.56	31.08	100.00

Average Molecular Weight = 97.65

Average Density = .741

Average Carbon Number = 6.62

H/C Ratio = 1.87

TABLE 17. - Fuel composition summary - Washington DC - Initial

Volume-percent Summation by Carbon Number and Component - Initial						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	3.61	0.00	0.00	0.08	0.00	3.68
4	2.72	2.47	0.00	2.05	0.00	12.26
5	4.69	3.99	0.16	4.42	0.00	18.26
6	2.83	7.15	1.78	4.22	1.43	17.41
7	1.45	4.96	1.68	2.51	5.82	16.40
8	0.54	8.83	0.85	0.20	8.06	18.49
9	0.18	2.74	0.07	0.00	1.11	10.06
10	0.12	0.83	0.00	0.00	4.47	5.42
11	0.12	0.18	0.00	0.00	0.55	0.88
12	0.06	0.08	0.00	0.00	0.00	0.14
Total	13.02	36.23	4.54	13.49	27.41	100.00

Average Molecular Weight = 89.26

Average Density = .722

Average Carbon Number = 6.15

H/C Ratio = 1.90

48 Hours

Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.57	0.00	0.00	1.05	0.00	3.61
4	2.36	2.34	0.00	1.89	0.00	11.59
5	4.64	8.87	0.16	4.37	0.00	18.04
6	2.37	7.19	1.78	4.27	1.43	17.53
7	1.47	5.01	1.69	2.52	5.90	16.60
8	0.54	8.35	0.90	0.21	8.24	18.88
9	0.14	2.81	0.08	0.00	7.24	10.32
10	0.10	0.90	0.00	0.00	4.40	5.41
11	0.13	0.13	0.00	0.00	0.55	0.86
12	0.07	0.08	0.00	0.00	0.00	0.15
Total	13.00	36.34	4.61	13.30	27.75	100.00

Average Molecular Weight = 89.76

Average Density = .724

Average Carbon Number = 6.20

H/C Ratio = 1.90

TABLE 18. - Fuel composition summary - San Diego - summer

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.28	0.00	0.00	0.08	0.00	0.36
4	15.37	2.61	0.00	3.61	0.00	21.59
5	3.67	10.72	0.13	3.34	0.00	17.85
6	2.37	7.80	2.98	3.81	1.28	18.25
7	1.15	4.79	1.87	2.45	5.67	15.93
8	0.43	3.71	0.99	0.09	8.06	13.28
9	0.12	2.02	0.05	0.00	6.36	8.55
10	0.06	0.19	0.00	0.00	3.28	3.53
11	0.00	0.02	0.00	0.00	0.18	0.20
12	0.00	0.48	0.00	0.00	0.00	0.48
Total	23.47	32.32	6.02	13.37	24.82	100.00

Average Molecular Weight = 83.84

Average Density = .707

Average Carbon Number = 5.13

H/C Ratio = 1.94

48 Hours

Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.15	0.00	0.00	0.05	0.00	0.20
4	7.15	1.30	0.00	2.09	0.00	10.54
5	2.97	11.39	0.15	4.62	0.00	19.13
6	2.32	8.63	3.36	4.53	1.48	20.32
7	1.30	5.55	2.13	2.79	6.43	18.20
8	0.53	4.33	1.38	0.21	9.23	15.67
9	0.14	2.35	0.08	0.00	7.44	10.02
10	0.08	0.50	0.00	0.00	4.20	4.78
11	0.06	0.16	0.00	0.00	0.65	0.87
12	0.00	0.23	0.00	0.00	0.05	0.28
Total	14.71	34.43	7.09	14.28	29.49	100.00

Average Molecular Weight = 89.32

Average Density = .729

Average Carbon Number = 6.08

H/C Ratio = 1.97

TABLE 19. - Fuel composition summary - Houston - 100 ppm

Volume-percent Summation by Carbon Number and Component Class

Carbon No.	<u>Initial</u>					Total
	<u>Normal</u>	<u>Paraffins Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	1.00	0.00	0.00	0.00	0.00	0.00
3	0.07	0.00	0.00	0.00	0.00	0.10
4	5.67	0.88	0.00	2.36	0.00	8.91
5	3.01	7.93	0.11	4.64	0.00	15.69
6	1.89	5.61	1.31	2.85	1.20	12.86
7	1.06	4.29	0.91	1.47	9.52	17.25
8	0.38	15.41	0.44	0.10	12.24	28.53
9	0.22	1.95	0.00	0.00	0.56	2.73
10	1.06	0.22	0.00	0.00	0.19	1.47
11	1.02	0.00	0.00	0.00	0.61	1.63
12	1.27	0.31	0.00	0.00	0.00	1.58
Total	21.79	36.59	2.75	11.45	35.91	100.00

Average Molecular Weight = 93.15

Average Density = 742

Average Carbon Number = 6.74

Hydrogen = 12.79

48 Hours

Carbon No.	<u>48 Hours</u>					Total
	<u>Normal</u>	<u>Paraffins Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	
1	0.00	0.00	0.00	0.00	0.00	0.00
2	1.00	0.00	0.00	0.00	0.00	0.00
3	0.63	0.00	0.00	0.04	0.00	0.67
4	2.45	2.36	0.00	2.19	0.00	7.00
5	2.81	7.33	0.10	4.49	0.00	14.73
6	1.78	5.30	1.43	2.77	1.14	12.42
7	1.16	4.14	1.05	1.17	9.27	16.69
8	0.34	14.63	0.45	0.02	11.99	27.44
9	0.20	1.88	0.00	0.00	3.54	5.62
10	1.08	0.14	0.00	0.00	4.04	5.26
11	0.00	0.00	0.00	0.00	0.45	0.45
12	0.00	0.33	0.00	0.00	0.00	0.33
Total	14.75	36.12	3.03	10.68	35.43	100.00

Average Molecular Weight = 91.07

Average Density = 740

Average Carbon Number = 6.32

Hydrogen = 12.91

TABLE 20. - Fuel composition summary - Sacramento - summer

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	<u>Normal</u>	Paraffins <u>Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	<u>Total</u>
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.27	0.00	0.00	0.08	0.00	0.35
4	8.72	1.88	0.00	1.08	0.00	11.68
5	1.70	4.80	0.09	2.04	0.00	8.63
6	2.20	5.63	1.21	2.97	2.84	14.85
7	1.57	5.02	0.92	1.87	12.68	22.06
8	0.57	5.43	0.38	0.11	17.06	23.54
9	0.23	1.44	0.00	0.00	11.73	13.40
10	0.09	0.18	0.00	0.00	4.66	4.92
11	0.00	0.00	0.00	0.00	0.55	0.55
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	15.35	24.37	2.60	8.16	49.52	100.00

Average Molecular Weight = 93.00

Average Density = .766

Average Carbon Number = 6.34

H/C Ratio = 1.67

<u>48 Hours</u>						
Carbon No.	<u>Normal</u>	Paraffins <u>Iso</u>	<u>Naphthenes</u>	<u>Olefins</u>	<u>Aromatics</u>	<u>Total</u>
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.24	0.00	0.00	0.10	0.00	0.33
4	8.68	1.82	0.00	1.06	0.00	11.56
5	1.71	4.71	0.09	2.07	0.00	8.57
6	2.16	5.65	1.23	3.05	2.92	15.02
7	1.57	5.04	0.93	1.88	12.80	22.22
8	0.57	5.45	0.38	0.11	16.94	23.45
9	0.23	1.35	0.00	0.00	11.72	13.30
10	0.09	0.13	0.00	0.00	4.71	4.93
11	0.00	0.05	0.00	0.00	0.56	0.62
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	15.24	24.21	2.63	8.27	49.65	100.00

Average Molecular Weight = 93.04

Average Density = .766

Average Carbon Number = 6.34

H/C Ratio = 1.66

TABLE 21. - Fuel composition summary - Fort Lauderdale - summer

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.50	0.00	0.00	0.07	0.00	0.57
4	7.85	2.58	0.00	1.67	0.00	12.10
5	5.38	7.40	0.16	3.28	0.00	16.22
6	1.26	4.03	0.63	1.82	0.93	8.67
7	1.12	3.77	0.88	0.99	11.09	17.85
8	0.55	14.80	0.24	0.10	11.52	27.22
9	0.18	1.41	0.00	0.00	8.90	10.49
10	0.08	0.47	0.00	0.00	5.04	5.59
11	0.00	0.46	0.00	0.00	0.62	1.08
12	0.00	0.22	0.00	0.00	0.00	0.22
Total	16.93	35.12	1.92	7.94	38.10	100.00

Average Molecular Weight = 91.95

Average Density = .743

Average Carbon Number = 6.42

H/C Ratio = 1.79

48 Hours

Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.12	0.00	0.00	0.08	0.00	0.20
4	3.25	1.42	0.00	0.68	0.00	10.35
5	2.79	3.91	0.10	2.12	0.00	8.92
6	1.07	3.15	0.60	2.16	0.77	7.75
7	1.19	3.34	0.59	0.72	12.13	17.98
8	0.67	16.82	0.31	0.11	14.33	32.24
9	0.24	1.76	0.00	0.00	11.64	13.64
10	0.10	0.61	0.00	0.00	6.60	7.30
11	0.01	0.65	0.00	0.00	0.80	1.47
12	0.00	0.17	0.00	0.00	0.00	0.17
Total	14.43	31.83	1.60	5.88	46.26	100.00

Average Molecular Weight = 97.01

Average Density = .766

Average Carbon Number = 6.64

H/C Ratio = 1.71

TABLE 22. - Fuel composition summary - Duluth - summer

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.63	0.00	0.00	0.04	0.00	0.67
4	9.86	3.71	0.00	2.19	0.00	15.76
5	2.60	5.94	0.05	1.34	0.00	9.94
6	2.27	5.81	0.88	2.09	2.20	13.24
7	1.29	6.79	1.44	1.66	8.09	19.28
8	0.41	18.28	0.25	0.06	9.04	28.06
9	0.09	1.68	0.00	0.00	6.17	7.95
10	0.04	1.00	0.00	0.00	3.61	4.65
11	0.02	0.19	0.00	0.00	0.25	0.47
12	0.00	0.00	0.00	0.00	0.00	0.00
Total	17.21	43.40	2.63	7.39	29.36	100.00

Average Molecular Weight = 90.48

Average Density = .725

Average Carbon Number = 6.24

H/C Ratio = 1.89

<u>48 Hours</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.08	0.00	0.00	0.04	0.00	0.12
4	7.07	1.32	0.00	1.24	0.00	9.63
5	1.28	2.95	0.04	0.69	0.00	4.95
6	2.03	4.51	0.81	1.52	1.68	10.56
7	1.44	7.14	1.43	1.68	8.98	20.68
8	0.56	21.29	0.36	0.07	12.14	34.41
9	0.14	2.34	0.00	0.00	9.14	11.61
10	0.06	1.56	0.00	0.00	5.44	7.06
11	0.04	0.09	0.00	0.00	0.77	0.90
12	0.00	0.08	0.00	0.00	0.00	0.08
Total	12.69	41.28	2.64	5.25	38.15	100.00

Average Molecular Weight = 98.22

Average Density = .754

Average Carbon Number = 6.73

H/C Ratio = 1.79

TABLE 23. - Fuel composition summary - New Orleans - summer

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.59	0.00	0.00	0.10	0.00	0.69
4	8.74	3.65	0.00	2.10	0.00	14.49
5	5.23	6.29	0.14	2.70	0.00	14.36
6	4.24	6.43	2.24	3.63	1.71	18.25
7	1.61	5.27	1.25	2.14	7.21	17.48
8	0.54	5.19	0.81	0.15	10.29	16.98
9	0.16	2.51	0.08	0.00	8.30	11.05
10	0.08	0.63	0.00	0.00	4.82	5.53
11	0.05	0.19	0.00	0.00	0.68	0.92
12	0.00	0.20	0.00	0.00	0.04	0.24
Total	21.24	30.37	4.51	10.83	23.06	100.00

Average Molecular Weight = 89.21

Average Density = .731

Average Carbon Number = 6.16

H/C Ratio = 1.84

<u>48 Hours</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.54	0.00	0.00	0.08	0.00	0.63
4	6.91	3.15	0.00	2.15	0.00	12.21
5	5.37	5.93	0.14	2.72	0.00	14.16
6	4.29	6.48	2.27	3.64	1.74	18.42
7	1.66	5.40	1.40	2.15	7.50	18.11
8	0.57	5.26	0.85	0.15	10.75	17.58
9	0.16	2.74	0.08	0.00	8.64	11.62
10	0.28	0.55	0.00	0.00	5.30	6.13
11	0.05	0.19	0.00	0.00	0.67	0.91
12	0.00	0.19	0.00	0.00	0.04	0.23
Total	19.84	29.90	4.74	10.89	34.63	100.00

Average Molecular Weight = 90.64

Average Density = .737

Average Carbon Number = 6.27

H/C Ratio = 1.82

TABLE 24. - Fuel composition summary - Chicago - summer

Volume-percent Summation by Carbon Number and Compound Class						
<u>Initial</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.67	0.00	0.00	0.04	0.00	0.71
4	6.30	2.57	0.00	1.93	0.00	10.80
5	5.94	10.82	0.21	6.56	0.00	23.53
6	3.78	10.04	2.95	5.22	1.99	23.98
7	1.64	4.40	1.55	2.53	8.10	18.22
8	0.66	3.86	0.71	0.18	4.79	10.19
9	0.09	1.75	0.06	0.00	5.02	6.93
10	0.09	0.30	0.00	0.00	3.80	4.20
11	0.16	0.16	0.00	0.00	0.67	0.99
12	0.13	0.26	0.00	0.00	0.04	0.44
Total	19.47	34.16	5.49	16.46	24.42	100.00

Average Molecular Weight = 85.82

Average Density = .716

Average Carbon Number = 5.91

H/C Ratio = 1.91

<u>48 Hours</u>						
Carbon No.	Normal	Paraffins Iso	Naphthenes	Olefins	Aromatics	Total
1	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00
3	0.09	0.00	0.00	0.05	0.00	0.15
4	6.98	1.17	0.00	1.63	0.00	9.79
5	2.34	4.55	0.12	3.17	0.00	10.18
6	2.98	7.39	2.44	3.73	1.48	18.03
7	1.95	4.94	1.86	3.27	10.42	22.44
8	1.00	6.02	1.32	0.25	8.31	16.90
9	0.16	2.99	0.11	0.00	9.00	12.26
10	0.17	0.81	0.00	0.00	6.51	7.49
11	0.29	0.31	0.00	0.00	1.04	1.63
12	0.24	0.79	0.00	0.00	0.11	1.14
Total	16.20	28.98	5.85	12.10	36.87	100.00

Average Molecular Weight = 94.21

Average Density = .752

Average Carbon Number = 6.39

H/C Ratio = 1.78

APPENDIX A

DISTRIBUTION LIST

Jack Acampora, ANM-174W
Western ACO
P.O. Box 92007
Worldway Postal Center
Los Angeles, CA 90009-2007

William Ackerman
6Bl Adams Building
Bartlesville, OK 74005

Jerry Allsup
National Institute for
Petroleum & Energy Research
P.O. Box 2128
Bartlesville, OK 74005

Bob Alpiser
Chicago ACO
2300 East Devon
Des Plaines, IL 60018

Neils Andersen
Senior VP - Engineering
AVTEK Corporation
4680 Calle Carga
Camarillo, CA 93010

Oscar Ball, ACE-112
DOT/FAA Central Region
601 East 12th Street
Kansas City, MO 64106

Paul Benjunas
Engineer I
Textron Lycoming
550 South Main Street
Stratford, CT 06497

Dave Bently
Aerospace Program Manager
Society of Automotive Engineers
400 Commonwealth Drive
Warrendale, PA 15096

Bob Berman, AWS-110
DOT/FAA National Headquarters
800 Independence Ave., SW.
Washington, DC 20591

Bernard Berns
Accident Prevention Spl.
Alaska FSDO-61
3788 University Avenue
Fairbanks, AK 99709

Robert Blair
Aviation Safety Inspector
WP - FSDO-13
218 Lagoon Road, Room 215
Honolulu, HI 96819

Raymond Boice, ACE-107
DOT/FAA Central Region
601 East 12th Street
Kansas City, MO 64106

Carl Borchers
FSDO #2
1387 Airport Boulevard
San Jose, CA 95110

Raymond Borowski, ANE-170
New York ACO
181 South Franklin Avenue
Room 202
Valley Stream, NY 11581

Michael Bragg
Ohio State University
2300 West Case Road
Columbus, OH 43220

Richard Brandiger
Principal Airworthiness Insp.
GL-FSDO-66
RR2, Box 4750
Rapid City, SD 57701

Steve Brown
AOPA
421 Aviation Way
Frederick, MD 21701

Dr. Burtner
Sun Refining and Marketing
ARD Department
P.O. Box 1226
Marcus Hook, PA 19061-0526

Hank Burwash, ANM-174W
Western ACO
P.O. Box 92007
Worldway Postal Center
Los Angeles, CA 90009-2007

Gene Chartier, ANM-174W
FAA Western ACO
P.O. Box 92007
World Way Postal Center
Los Angeles, CA 90009-2007

Burton Chesterfield
Transportation Safety Institute, DMA-60
6500 South MacArthur Boulevard
Oklahoma City, OK 73125

Ernest Cross, Jr.
College of Engineering
Old Dominion University
Norfolk, VA 23508

Terence Dixon
Boeing Aerospace Corporation
P.O. Box 3999
M/S 8M-11
Seattle, WA 98124

David Downing
Department of Aerospace Engineering
The University of Kansas
2304 Learned Hall
Lawrence, KS 66045-2221

Locke Easton, ANE-141
DOT/FAA New England Region
12 New England Executive Park
Burlington, MA 01803

Eldon Elam
Air Safety Investigator
FAA Headquarters, ASF-100
800 Independence Avenue, SW.
Washington, DC 20591

Frank Feinberg
Mobil Research and Development Corp.
Research Department
Billingsport Road
Paulsboro, NJ 08060

Augusto Ferrara, ACT-320
DOT/FAA Technical Center
Atlantic City Internat'l A/P, NJ 08405

John Garner
Air Safety Specialist
U.S. Army Safety Center
ATTN: CSSC-RI
Fort Rucker, AL 36362

Wayne Gaulzetti, ANE-153
FAA New England Region
12 New England Executive Park
Burlington, MA 01803

George Heath
Investigator
Canadian Aviation Safety Board
12-14220 Yellowhead Trail
Edmonton, AB, CANADA

Roy Hettenbach, ANE-174
New York ACO
181 South Franklin Avenue
Room 202
Valley Stream, NY 11581

Alfred Hughes
Central Region-PSDO 65
General Aviation Building
Lincoln Municipal Airport
Lincoln, NE 68524

Stephen Imbrogno
106 East Miami Avenue
Cherry Hill, NJ 08034

Don Jacobsen, ACF-101
DOT/FAA Central Region
601 East 12th Street
Kansas City, MO 64106

Eric Jevons
Colt Industries
Control Systems Division
Charter Oak Boulevard
West Hartford, CT 06101

Frank Kertis
Sun Refining and Marketing
ARD Department
P.O. Box 1226
Marcus Hook, PA 19061-0526

William Kilmartin
Manager, Technical Services
ARCO Chemical Company
3801 West Chester Pike
Newtown Square, PA 19073

Gene Kingsbury
Room 6733
U.S. Department of Commerce
Washington, DC 20230

Richard Kirsch, AWS-120
DOT/FAA National Headquarters
800 Independence Ave., SW.
Washington, DC 20591

Robert Koenig
NASA Langley Research Center
Mail Stop 352
Hampton, VA 23665-5225

Harold L. Mesaris
Manager, Field Investigations
Avco Lycoming Textron
652 Oliver Street
Williamsport, PA 17701

Ted Lacara
Prin. Aviation Safety Insp.
Western Pacific Long Beach-FSDO-5
2815 East Spring Street
Long Beach, CA 90806

Damien Lawson
Canadian Aviation Safety Board
P.O. Box 9120
Alta Vista Terminal
Ottawa, Ontario K1G 3T8 CANADA

Jacob Leggett
Chief Chemist
Derby Refining Company
P.O. Box 1030
Wichita, KS 67201

R. Lewis
Market Manager, Methyl Fuels
Celanese Chemical Corporation
1250 West Mockingbird Lane
Dallas, TX 75247-0320

Donald Magnuson
Aviation Safety Insp.
FAA-NM-FSDO-67
116 North 2400 West
Salt Lake City, UT 84116

Phil Meng
MS-500 219
NASA Lewis Research Center
21000 Brookpark Road
Cleveland, OH 44135

Jay Nelson
SW-FSDO-67
FAA Building, Room 111
Wiley Post Airport
Bethany, OK 73008

Willie Nelson
Assistant Manager (Airworthiness)
ASO-FSDO-64
9355 Tradeport Drive
Orlando, FL 32827

Richard Newcombe
Canadian Aviation Safety Board
P.O. Box 9120
Alta Vista Terminal
Ottawa, Ontario K1G 3T8 CANADA

Cathy Nickolaisin
Director
New Jersey Division of Aeronautics
1035 Parkway Avenue
Trenton, NJ 08625

Al. De...
... Company
... 30-41
... Boulevard
... 08345

Paul... AOT-140W
...
... Room 100
...

...
...
...
...

... AOT-140W
...
... Room 100
...

...
...
... Investigations
...
... PA 17301

...
...
... Avenue, South
...
... MN 55416

... AOT-200
... Headquarters
...
... Avenue, SW.
... 0521

... ANM-100A
...
...
... 04511

...
... Systems, R&D
... Corporation
...
... 07101

Robert Roehr
WP-FSDO-1
7120 Claymound Avenue
Suite 316
Van Nuys, CA 91410

Dick Roemer
FAA Aviation Foundation
Whitman Airfield
Oshkosh, WI 54901-0001

Russell Rogers
Aerogulp Corporation
Corporate Engineering
Jackson, MI 49203

Len Rover
Accident Investigator
USASC
Fort Rucker, AL 36362

John Shimski
Naval Air Propulsion Center
P.O. Box 7176
Trenton, NJ 08628

Frederick Smetana
North Carolina State University
P.O. Box 5246
Raleigh, NC 27650

H. Smith
Engineered Fabrics Division
Goodyear Aerospace Corporation
1210 Massillon Road
Akron, OH 44315

Hubert Smith
Assistant Professor
Pennsylvania State University
233 Hammond Building
University Park, PA 16802

Robert Stewart
Program Manager
Gulfstream Aerospace Corp, R-08
P.O. Box 2206
Savannah, GA 31402

Fen Taylor
Chief, Aerodynamics & Perform
Mooney Aircraft Corporation
P.O. Box 72
Kerrville, TX 78029

Peter Thomas
Sandstrand Aerospace Fluid Systems
2421 11th Street
P.O. Box 7002
Rockford, IL 61125-7002

Charles Turrentine
Engineering Specialist
General Dynamics Corporation
P.O. Box 748, M/S 1772
Fort Worth, TX 76101

Neil Wagstaff
Avn. Safety Representative
McDonnell Douglas Helicopter Company
500 East McDowell 560/G-22A
Mesa, AZ 85205

Donald Ward
Associate Professor
Aerospace Engineering Department
Texas A&M University
College Station, TX 77843

Richard Wares
National Institute for
Petroleum & Energy Research
P.O. Box 2128
Bartlesville, OK 74005

John Wells
Director of Development & Certification
Gates Learjet Corporation
P.O. Box 7707
Wichita, KS 67277

Louis Williams
NASA Langley Research Center
Mail Stop 286
Hampton, VA 23665-5225

Edward Willis, Jr.
NASA Lewis Research Center
Mail Stop 77-6
21000 Brookpark Road
Cleveland, OH 44135

David Yeoman
Collins-Rockwell
MS 124-111
400 Collins Road, NE.
Cedar Rapids, IA 52498

Richard Yotter, ACF-109
DOT/FAA Central Region
601 East 12th Street
Kansas City, MO 64106

Acro Sport, Incorporated
P.O. Box 462
Hales Corners, WI 53130

Adams Balloon Loft, Inc.
27 DeKalb Peachtree Airport
Atlanta, GA 30341

Advanced Aviation, Incorporated
323 North Ivey Lane
P.O. Box 16716
Orlando, FL 32861

Aero Composites, Incorporated
1201 4th Street
P.O. Box 246
Fulton, IL 61252

Aerocar, Incorporated
P.O. Box 1171
Longview, WA 98632

Aerospatiale Aircraft Corporation
20 Expert Drive
Sterling, VA 22170

Aerospatiale Helicopter Corporation
2701 Forum Drive
Grand Prairie, TX 75053-4005

Aviation International, Inc.
P.O. Box 1077
Spokane, WA 99217

Avian Balloon Company
South 3722 Ridgeview Drive
Spokane, WA 99206

Aviation Corporation
Norton and Edison Roads
Pittsburg, KS 66064

Avtek Corporation
509 Calle Carga
Camarillo, CA 93010

Aviation Manufacturing, Incorporated
P.O. Box 1000
Pittsburg, KS 66064
Pittsburg, MO 64568

Avtek Corporation
509 Calle Carga
Camarillo, CA 93010

Aviation, Inc.
P.O. Box 447
Pittsburg, KS 66064

Ayres Corporation
P.O. Box 3090
Municipal Airport
Albany, GA 31708

Aviation Designs, Incorporated
P.O. Box 1000
Pittsburg, KS 66064

Barnett Rotorcraft
4307 Olivehurst Avenue
Olivehurst, CA 95961

Aviation Supply Company
P.O. Box 641
Pittsburg, KS 66064

Barney Oldfield Aircraft
P.O. Box 228
Needham, MA 02192

Aviation, Incorporated
P.O. Box 1000
Pittsburg, KS 66064

Beech Aircraft Corporation
Box 85
Wichita, KS 67201-0085

Aviation Aircraft Company
P.O. Box 141
Pittsburg, KS 66064

Bell Helicopter Textron
P.O. Box 482
Fort Worth, TX 76101

Aviation Corporation
P.O. Box 1000
Pittsburg, KS 66064
Pittsburg, MO 64568

Bellanca, Inc.
P.O. Box 964
Alexandria, MN 56308

Hensen Aircraft Corporation
P.O. Box 31047
Raleigh, NC 27622

CDX Aviation Sales
11343 104th Street
Edmonton, Alberta
T5G 2K7
CANADA

Boeing Commercial Airplane
Company
P.O. Box 3707
Seattle, WA 98124

Cessna Aircraft Company
P.O. Box 1521
Wichita, KS 67201

Box 51, Ltd.
Municipal Airport
Route 1, Box 102
Denton, TX 76201

Christen Industries
P.O. Box 547
Afton, WY 83110

British Aerospace, Inc.
P.O. Box 17414
Dulles Int'l Airport
Washington, DC 20041-0414

Christen Industries, Inc.
Aircraft Manufacturing Division
P.O. Box 547
Afton, WY 83110

Burkhart-Grob of America
1070 Navajo Drive
Bluffton Airport Complex
Bluffton, OH 45817

De Havilland Aircraft of Canada
Garratt Boulevard
Downsview, Ontario M3K 1Y5
CANADA

Bushby Aircraft, Incorporated
647 Route 52
Minooka, IL 60447

Denney Aerocraft Company
6140 Morris Hill Lane
Boise, ID 83704

Cameron Balloons, U.S.
41 Interprise Drive
Ann Arbor, MI 48103

DeVore Aviation Corporation
6104B Kircher Boulevard, NE.
Albuquerque, NM 87109

Canadair
274 Riverside Avenue
Westport, CT 06880
CANADA

Diehl Aero-Nautical
1855 North Elm
Jenks, OK 74037

CASA Aircraft USA, Inc.
1215 Jefferson Davis Highway
Suite 404
Arlington, VA 22202

Dornier Aviation-North America, Inc.
1213 Jefferson Davis Highway
#1001
Arlington, VA 22202

H. B. Industries, Limited
Traville House
131-133 Sloane Street
London SW1X9BB
ENGLAND

Eagle Balloons, Ltd.
Hanover Municipal Airport
Ashland, VA 23005

Earthstar Aircraft, Incorporated
Star Route
P.O. Box 313
Santa Margarita, CA 93453

Empire Aircraft
26331 Ynez Road
Laredo, CA 92390

Embraer Aircraft Corporation
276 SW 34 Street
Fort Lauderdale, FL 33315

Enstrom Helicopter Corporation
Twin County Airport
P.O. Box 127
Menominee, MI 49858

Evansville Aircraft Corporation
P.O. Box 2486
Fort Worth, TX 78284

Exxon Jet Corporation
Teterboro Airport
Teterboro, NJ 07608

Exeter Flying Products, Incorporated
Route 2
P.O. Box 280
South Webster, OH 45682

Fokker Aircraft USA, Inc.
1199 North Fairfax Street
Suite 500
Alexandria, VA 22314

Freedom Master Corporation
450 Hamlin Avenue
Satellite Beach, FL 32937

Galaxy Balloons, Inc.
820 Salisbury Road
Statesville, NC 28677

Gates Learjet Corporation
P.O. Box 11186
Tucson, AZ 85734

General Aviation
Manufacturers Association
1400 K Street, NW.
Suite 801
Washington, DC 20005

Glaser Dirks Sailplanes, Inc.
5847 Sharpe Road
Calistoga, CA 94515

Graham Thomson, Ltd.
P.O. Box 1175
Pacific Palisades, CA 90272

Gulfstream Aerospace Corporation
Wiley Post Airport
P.O. Box 22500
Oklahoma City, OK 73123

Head Balloons, Inc.
550 Echelon Road
Greenville, SC 29605

Hynes Aviation Industries
P.O. Box 697
Frederick, OK 73542

Litecraft, Inc.
Route 4, Box 48
Vacherie, LA 70090

LSAV Limited
445 West 10th Avenue
P.O. Box 2984
Shkosh, WI 54903

Lockheed Georgia Company
Technical Reports Department
Department 72-34, Zone 235
86 South Cobb Drive
Marietta, GA 30053

Louis Aircraft and Arms
Company, Inc.
225 Broadway
New York, NY 10007

Loehle Aviation, Incorporated
Shipmans Creek Road
Wartrace, TN 37183

Lowcock Manufacturing
1152 Western Avenue
Stanton, CA 95680

Mael Aircraft Corporation
Box 138
Portage, WI 53901

Maule Sport Aircraft, Incorporated
104 East Avenue
P.O. Unit G
Maulster, CA 93535

Maule Aircraft Corporation
Lake Maule
Route 5, Box 319
Moultrie, GA 31768

Math Company
Rapid Delivery 3
P.O. Box 79
Mantoxville, PA 19460

MBB Helicopter Corporation
900 Airport Road
P.O. Box 2349
West Chester, PA 19380

McDonnell Aircraft
Dartmouth Airport Hangar 1
Dartmouth, NH 03246

McDonnell Douglas Corporation
3855 Lakewood Boulevard
Long Beach, CA 90846

Meritt Aero, Incorporated
4827 Aviation Way
P.O. Box 128
Midwell, ID 83606

McDonnell Douglas Helicopter
Company
Centinela and Teale Streets
Culver City, CA 90230

Melex Miniature Aircraft
Building 414
McDonnell Airport
Raleigh, NC 27604

Melex USA, Inc.
1200 Front Street
Suite 101
Raleigh, NC 27604

Mike Smith Aero
Box 430
Stanton County Airport
Johnson City, KS 67855

Mooney Aircraft Corporation
P.O. Box 70
Marville, TX 78028-0072

Morris Aviation, Ltd.
P.O. Box 710
Statesboro Airport
Statesboro, GA 30458

Muddy Aviation, Ltd.
Dutchess City Airport
Route 375
Wappingers Falls, NY 12590

National Aeronautics and Manufacturing
Company, Incorporated
P.O. Box 1018
Independence, MO 64055

Neigo Aviation
403 South Ojal Street
Santa Paula, CA 93060

Northeast, Incorporated
4112 Aviation Way
P.O. Box 2049
Penderseville, NC 28739

Nuvaco Aircraft
2975 East Euclid Place
Littleton, CO 80121

ONAC, Inc.
P.O. Box 3530
Albany, GA 31708

Osprey Aircraft
3741 El Ricon Way
Sacramento, CA 95825

Partenavia of America
1235 Jefferson Davis Highway
#500
Arlington, VA 22202

Pazmany Aircraft Corporation
P.O. Box 80051
San Diego, CA 92138

PIK Pacific
1231 Second Street
Manhattan Beach, CA 90266

Piper Aircraft Corporation
Box 1328
Vero Beach, FL 32961

Prescott Aeronautical Corporation
1006 West 53rd Street, N.
P.O. Box 4590
Wichita, KS 67204

Quad City Aircraft Corporation
3610 Coaltown Road
Moline, IL 61265

Rand Robinson Engineering, Incorporated
5395 Industrial Drive
Suite A
Huntington Beach, CA 92649

Rans Company
1104 East Highway 40 Bypass
Hays, KS 67601

Raven Industries, Inc.
421 West Eighteenth Street
Box 1007
Sioux Falls, SD 57101

Shorts Brothers, USA, Inc.
2011 Crystal Drive
Suite 713
Arlington, VA 22202-3702

Robinson Helicopter Company
24747 Crenshaw Boulevard
Torrance, CA 90505

Sikorsky Aircraft
North Main Street
Stratford, CT 06601

Rogerson Aircraft Corporation
2201 Alton Avenue
Irvine, CA 92714

Silhouette Aircraft Sales, Incorporated
848 East Santa Maria Street
Santa Paula, CA 93060

Rotec Engineering, Incorporated
P.O. Box 220
Duncanville, TX 75138

Skypower
Box 236
Tea, SD 57064

Rotorway Aircraft
7411 West Galveston
Chandler, AZ 85224

Sorrell Aviation, Limited
16525 Tilley Road, S.
Tenino, WA 98589

SAAB Aircraft of America, Inc.
200 Fairbrook Drive
Herndon, VA 22070

Spencer Amphibian Air Car, Incorporated
11019 Glenoaks Boulevard
Pacoima, CA 91331

Schleicher Sailplanes, Inc.
P.O. Box 118
Port Matilda, PA 16870

Squadron Aviation, Incorporated
P.O. Box 2376
Columbus, OH 43223

Schweizer Aircraft Corporation
P.O. Box 147
Elmira, NY 14902

Star-Lite Aircraft, Incorporated
2219 Orange Blossom
San Antonio, TX 78247

Sequoia Aircraft Corporation
2000 Tomlynn Street
P.O. Box 6821
Richmond, VA 23230

Stoddard-Hamilton Aircraft,
Incorporated
18701 58th Avenue, NE.
Arlington, WA 98223

Stolp Starduster Corporation
4301 Twining
Flabob Airport
Riverside, CA 92509

War Aircraft Replica, Incorporated
348 South Eighth Street
Santa Paula, CA 93060

Swearingen Aircraft Corporation
1234 99th Street
San Antonio, TX 78214

Weatherly Aviation Company
2304 San Felipe Road
Hollister, CA 95023

Taylorcraft Aviation Corporation
P.O. Box 947
820 East Bald Eagle Street
Lock Haven, PA 17745

Westland, Inc.
7135 Jefferson Davis Highway
Suite 805
Arlington, VA 22202

Teenie Company
P.O. Box 625
Oroville, AZ 85228

White Lightning Aircraft Corporation
P.O. Drawer 40
Sheldon, SC 29941

The Balloon Works
812 Salisbury Road
Statesville, NC 28677

Zenair, Limited
25 King Road
Nobleton, Ontario
LOG 1NO
CANADA

Thunder and Colt, U.S.
Box 320
Chatham, NY 12037-0320

Ultimate Aerobatics, Limited
Guelph Airpark
Guelph, Ontario
N1H 6H8
CANADA

Van's Aircraft, Incorporated
P.O. Box 160
North Plains, OR 97133

Wag Aero, Incorporated
P.O. Box 181
Lyons, WI 53148

Civil Aviation Authority (5)
 Aviation House
 129 Kingsway
 London WC2B 6NN England

Embassy of Australia (1)
 Civil Air Attache
 1601 Mass. Ave. NW
 Washington, DC 20036

Scientific & Tech. Info FAC (1)
 ATTN: NASA Rep.
 P.O. Box 8757 BWI Airport
 Baltimore, MD 21240

Northwestern University (1)
 Trisnet Repository
 Transportation Center Library
 Evanston, ILL 60201

DOT-FAA AEU-500 (4)
 American Embassy
 APO New York, NY 09667

University of California (1)
 Service Dept Institute of
 Transportation Standard Lib
 412 McLaughlin Hall
 Berkely, CA 94720

British Embassy (1)
 Civil Air Attache ATS
 3100 Mass Ave. NW
 Washington, DC 20008

Director DuCentre Exp DE LA (1)
 Navigation Aerineene
 941 Orly, France

ANE-40	(2)	ACT-61A	(2)	ASW-53B	(2)
ASO-5204	(2)	AAL-400	(2)	AAC-64D	(2)
APM-13 Nigro	(2)	M-493.2	(5)	ACE-66	(2)
AEA-61	(3)	Bldg. 10A		ADL-1	(1)
AIL-32 North	(1)	APM-1	(1)	ALG-300	(1)
AES-5	(1)	APA-300	(1)	ACT-1	(1)
APM-61	(2)	AGL-60	(2)		

ASF-1 - Office of Aviation Safety

AST-1 - Office of Science & Advanced
 Technology

APM-1 - Program Engineer & Maintenance
 Service

AVS-1 - Associate Administrator for
 Aviation Standards

AWS-1 - Office of Airworthiness

AWS-1 - Aircraft Engineering Division

Faa, Chief, Civil Aviation (1)
Assistance Group
Madrid, Spain
c/o American Embassy
APO New York, NY 09285-0001

Dick Tobiason (1)
ATA of America
1709 New York Avenue, NW
Washington, DC 20006

FAA Anchorage ACO (1)
701 C Street, Box 14
Anchorage, Alaska 99513

FAA Atlanta ACO (1)
1075 Inner Loop Road
College Park, Georgia 30337

FAA Boston ACO (1)
12 New England Executive Park
Burlington, Mass. 01803

FAA Brussels ACO (1)
c/o American Embassy, APO
New York, NY 09667

FAA Chicago ACO (1)
2300 E. Devon, Room 232
Des Plaines, Illinois 60008

FAA Denver (1)
10455 E. 25th Ave., Suite 307
Aurora, CO 98168

Frank Taylor (1)
3542 Church Road
Ellicott City, MD 21043

Mr. Gale Branden (FAA) (1)
5928 Queenston Street
Springfield, VA 22152

Richard E. Livingston, Jr. (1)
Director, Aerotech Operations for
the IAPA Group
1405 Crystal Drive
Suite 1112 South
Arlington, VA 22202

Al Astorga (1)
Federal Aviation Administration
(CAAG)
American Embassy, Box 38
APO New York, NY 09285-0001

Burton Chesterfield, DMA-603 (1)
DOT Transportation Safety Inst.
6500 South McArthur Blvd.
Oklahoma City, OK 73125

FAA Fort Worth ACO (1)
P. O. Box 1689
Fort Worth, TX 76101

Faa Long Beach ACO (1)
4344 Donald Douglas Drive
Long Beach, CA 90808

FAA Los Angeles ACO (1)
P. O. Box 92007
Worldway Postal Center
Hawthorne, CA 90009

FAA New York ACO (1)
181 S. Frankline Ave., Room 202
Valley Stream, NY 11581

FAA Seattle ACO (1)
17900 Pacific Highway South
C-68966
Seattle, Washington 98168

FAA Wichita ACO (1)
Mid Continent Airport
Room 100 FAA Bldg.
1891 Airport Road
Wichita, KA 67209

Dr. Hans A. Krakauer (1)
Deputy Chairman, International
Airline Pilots Assoc. Group
Apartado 97
8200 Albufeira, Portugal

Geoffrey Lipman (1)
Executive Director, President du
Conseil
International Foundation of
Airline Passenger Assocs.
Case Postale 463, 1215 Geneva
15 Aeroport, Suisse, Geneva

END

DATE
FILMED
5-88

DTIC